Completed

Patent Appeal Center Return				
Application Number:	09/465,607		Date:	07 December, 2012
Examiner:	CLEMENT GRAHAM		GAU:	3691
The following deficies The case will remain Appeal Document() IDS not addresses Reference(s) do Amendments not Reply Brief not co Reference not so Grounds of Reject Improper use of the Appeal Brief/Offict Petition not cons In response to the reopened before and consider the Appellant failed the of rejection. The See MPEP 1207 If all of the claims The examiner stoler of the examiner	encies have been identified in the Examination your docket until ALL issues have best that caused this Return — Check at ed (see below) not appear on the 892/1449 form tentered/considered considered canned into IFW ection not consistent with last office action form paragraph tenence Held considered. The examiner's answer that contains a new the primary examiner by filling a reply unreply. See MPEP 1207.03. To timely file a reply or a reply brief in resexaminer must dismiss the appeal as to examiner must dismiss the appeal as to examiner appeal are subject to the new ground follow the procedure set forth in Mine claims under appeal are subject to the erates as an authorization to cancel those miner should follow the procedure set for the set of the s	een resolved. least one Docume Answer coversh or ground of reject nder 37 CFR 1.11 ponse to the exar the claims subject iround of rejection PEP 1215. ne new ground of se claims and the orth in MPEP 1207	eet ion, app 1. The e miner's a t to the n, the en appeal 7.03 and	ellant requests that prosecution be examiner must reopen prosecution answer that contains a new ground new ground of rejection. tire appeal should be dismissed. In, the dismissal of the appeal as to continues as to the remaining
☐ Conference Initials (three) ☐ New Ground of Rejection - TC Director signature needed ☐				
When the correction has been made, please create an eDan message for the "AppealSpecial Processing" mailbox with "COMPLETE" in the text. The status of the file will be updated by Patent Appeal Center Supervisor.				
		/CASSANDRA E	B. DOW	NS/